



HUSQVARNA LC 353AWD

Robust and highly efficient collector mower with All-Wheel drive performance. Excellent for larger sized hilly gardens with steeper slopes or less-often managed areas with higher grass. Built on a durable, welded steel cutting deck and provided with a strong and easy-start OHC-engine. LC 353AWD also offers three cutting methods to choose between.



Collision guard

Reinforced front end for protection against collision and added rigidity



Reinforced PremierCut Deck

Achieve superior cutting results with Husqvarna PremierCut Deck with added reinforcement for long lasting durability and wear protection

All-Wheel Drive (AWD)

All-Wheel-Drive (AWD) ensures traction on uneven, wet and slippery areas and slopes.



Heavy duty height adjusters

Heavy duty 9 position height adjusters provide both durability and versatility



FEATURES

- All-Wheel Drive secure traction on all areas
- Reinforced PremierCut Deck
- Collision Guard
- Heavy duty height adjusters
- High rear wheels
- Easy adjustable handle
- AutoWalk™ 2 with two-hand speed control for ergonomic operation
- Easy grip for lifting in the front
- Water hose connection for easy cleaning
- Rear discharge capable

Technical Specifications	
BATTERY	
Battery capacity	0 Ah
Battery type	--
CAPACITY	
Net power at preset rpm	3200 rpm
Power output	3.6 kW
DIMENSIONS	
Article gross weight	46200 g
Article net weight	36560 g
Collector volume	65 l
Cutting width	53 cm
Cylinder displacement	166 cm ³
Handle height adjustment	2 Step
Weight	41.7 kg
Wheel size, Front	203 mm
Wheel size, Rear	279 mm
Wheelbase	56 cm
ENGINE	
Cylinder displacement	166 cm ³
Electrode gap	0.75 mm
Engine brand	Honda
Engine cooling	Air
Engine name	GCVX-170
Motor/engine model	GCV170H-S3AL
Spark plug	NGK BPR5ES
EQUIPMENT	
Air filter type	Paper
BioClip® kit	Not available as accessory (NOT AVAILABLE)
BioClip® plug	Included
Blade brake clutch (BBC)	No
Blade type	High-Lift blade
Collector	Included
Collector type	Down vented soft bag
Collector volume	65 l
Deflector	Included
Drive control	Auto-walk
Drive system	All-wheel drive
Drive wheels	All four
Foldable handle	Yes
Handle type	Easy Walk
Lawnmower drive type	All-wheel drive
Side adjustable handle	No
Soft grip	Yes
Throttle control	No
Water hose connection	Yes
Wheel bearing, front/rear	Yes/Yes
Wireless Connectivity	Not applicable
LUBRICANTS	
Engine lubrication type	Splash
Fuel consumption	462 g/kWh
Fuel consumption	1.2 l
Oil filter	None
Power/fuel type	Gasoline
MATERIALS	
Cutting deck material	Steel
Master pack: Paper + Cardboard	0 g
Metal total	0 g
Paper + Cardboard total	0 g
PE total	0 g
PET total	0 g
Plastic foil	0 g
Plastic rigid	0 g
Plastic total	0 g
PS/EPS/HIPS total	0 g
Rims, material	Plastic
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	96 dB(A)

Technical Specifications

Sound power level, measured	95 dB(A)
Sound pressure level at operators ear	83.3 dB(A)

VIBRATIONS

Vibrations handlebar	6.28 m/s ²
----------------------	-----------------------

PACKAGING

Packaging height	515 mm
Packaging length	995 mm
Packaging width	610 mm
Quantity in Master pack	1