

HUSQVARNA LC 356VP

Husqvarna LC 356VP is a robust, high-capacity self-propelled mower with variable speed and easy-start OHC-engine, designed for larger gardens. Equipped with a wide, robust steel cutting deck and side discharge option. Ergonomic and easy foldable handlebar, convenient bail removal and easy-adjust cutting height make every mow simpler. Extra-large collector and Collect blade leave less clippings on the lawn for a tidy, professional look.



Ergonomic handle

Ergonomic angle of the handle in combination with easy to reach bail arms makes operation easy.



Variable drive speed

Easy to adjust the ground speed according to your needs and the condition of the lawn.



This lawnmower offers versatility through several cutting options. Choose the cutting mode you require to achieve optimal results; collection for a tidy lawn, BioClip® (mulching) for lawn fertilization and side discharge for less frequently cut areas.



Easy foldble handle bar

Easily fold the handle to minimize space required for storing and transportation.



FEATURES

- Collection, BioClip® and side discharge
- Variable speed for easy speed adjustment
- Ergonomic handle

- Easily foldable handle bar to facilitate transport and storage
- Easy central cutting height adjustment

Technical Specifications	
BATTERY	
Battery capacity	O Ah
Battery type	
CAPACITY	
Net power at preset rpm	2800 rpm
Power output	3.1 kW
DIMENSIONS	
Article gross weight	42400 g
Article net weight Collector volume	37400 g 75 l
Cutting width	56 cm
Cylinder displacement	166 cm ³
Handle height adjustment	2 Step
Weight	37.5 kg
Wheel size, Front	203 mm
Wheel size, Rear Wheelbase	203 mm 71 cm
ENGINE	71011
Cylinder displacement	166 cm ³
Electrode gap	0.75 mm
Engine brand	Honda
Engine cooling	Air
Engine name	GCVX-170
Motor/engine model	GCV170H-S3AL NGK BPR5ES
Spark plug EQUIPMENT	NUN DERJES
Air filter type	Paper
Ball beared wheels	Yes
BioClip® kit	Available as accessory
BioClip® plug	Not included
Blade brake clutch (BBC)	No
Blade type	Collect
Collector type	Included Fabric with dust blocker
Collector volume	751
Deflector	Included
Drive control	Underbail
Drive system	Self-propelled, variable speed
Drive wheels	Rear Yes
Foldable handle Handle type	res Ergonomic
Lawnmower drive type	Self-propelled
Side adjustable handle	No
Soft grip	Yes
Throttle control	No
Water hose connection	No Van Was
Wheel bearing, front/rear Wireless Connectivity	Yes/Yes Not applicable
LUBRICANTS	постаррисавие
Engine lubrication type	Splash
Fuel consumption	462 g/kWh
Oil capacity	0.41
Oil filter	None
Power/fuel type	Gasoline
MATERIALS	
Cutting deck material Matter peak Depart Cordboard	Steel
Master pack: Paper + Cardboard Metal total	0 g 0 g
Paper + Cardboard total	0 g
PE total	0 g
PET total	0 g
Plastic foil Plastic foil	0 g
Plastic rigid	0 g
Plastic total PS/EPS/HIPS total	0 g 0 g
Rims, material	Plastic
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	98 dB(A)
Sound power level, measured	96 dB(A)
Sound pressure level at operators ear	87 dB(A)

VIBRATIONS	
Vibrations handlebar	5.9 m/s ²
PACKAGING	
Packaging height	450 mm
Packaging length	1040 mm
Packaging volume	290.16 dm³
Packaging width	620 mm
Quantity in Master pack	1